




Glenair Series ITS and ITS-RG MIL-DTL-5015 Type Reverse Bayonet Connectors Contact Arrangements Front View of Pin Insert


1 CONTACT



Arrangement	16-2	16-12
Contact Size	12	4
Service Rating	E	A


A

1 CONTACT




Arrangement	18-6	18-7	18-16
Contact Size	4	8	12
Service Rating	D	B	C

1 CONTACT




Arrangement	20-2	22-7	24-A1	28-B1
Contact Size	0	0	0	0
Service Rating	D	E	B	B

1 CONTACT



Arrangement	32-A1	36-01	36-B90
Contact Size	AWG 4/0	AWG 4/0	Special
Service Rating	A	C	D

2 CONTACTS



Arrangement	10SL-4	14S-9	16S-4
Contact Size	16S	16S	16S
Service Rating	A	A	D


CONTACT LEGEND



**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**




2 CONTACTS




Arrangement	16-11	18-3	20-23	22-1
Contact Size	12	12	8	8
Service Rating	A	D	A	D

2 CONTACTS




Arrangement	22-11	24-9	28-B2	32-5
Contact Size	16	4	8	0
Service Rating	B	A	E	D

3 CONTACTS




Arrangement	10SL-3	14S-1	14S-7
Contact Size	16S	16S	16S
Service Rating	A	A	A

3 CONTACTS



Arrangement	16S-5	16-7	16-10
Contact Size	16S	1/8, 2/16	12
Service Rating	A	A	A

3 CONTACTS




Arrangement	18-5	18-22	20-3
Contact Size	2/12, 1/16	16	12
Service Rating	D	D	D

CONTACT LEGEND	20	18	16-16S	12	8	4	0	4/0
-----------------------	----	----	--------	----	---	---	---	-----




Glenair Series ITS and ITS-RG MIL-DTL-5015 Type Reverse Bayonet Connectors Contact Arrangements Front View of Pin Insert

3 CONTACTS




Arrangement	20-6	20-19	22-2
Contact Size	16	8	8
Service Rating	D	A	D

3 CONTACTS




Arrangement	22-9	22-21	28-3
Contact Size	12	1/0, 2/16	8
Service Rating	E	A	E

3 CONTACTS




Arrangement	28-6	32-A3	36-4
Contact Size	4	4	0
Service Rating	D	E	A=D; B,C=A

4 CONTACTS



Arrangement	145-2	16-9	18-4
Contact Size	16S	2/12, 2/16	16
Service Rating	I	A	D

4 CONTACTS



Arrangement	18-10	18-10S MT*	18-13
Contact Size	12	12	1/8, 3/12
Service Rating	A	A	A

* Contact "D": First - Mate - Last - Break Grounding Contact


CONTACT LEGEND



Glenair Series ITS and ITS-RG MIL-DTL-5015 Type Reverse Bayonet Connectors Contact Arrangements Front View of Pin Insert




4 CONTACTS




Arrangement	20-4	20-24	20-A24*
Contact Size	12	2/8, 2/16	2/8, 2/16
Service Rating	D	A	A

4 CONTACTS




Arrangement	22-4	22-22S MT**	22-10
Contact Size	2/8, 2/12	8	16
Service Rating	A	A	E

4 CONTACTS




Arrangement	22-22	24-4	24-22	32-17
Contact Size	8	1/0, 3/16	8	4
Service Rating	A	D	D	D

4 CONTACTS



Arrangement	36-5	40-B4***	40-D4***	40-G4
Contact Size	0	0	8	8
Service Rating	A	E	C	E

5 CONTACTS



Arrangement	14S-5	16S-8	18-11	18-20	18-30 (18-20 x 110°)
Contact Size	16S	16S	12	16	16
Service Rating	I	A	A	A	A

* Consult Factory **Contact "D": First - Mate - Last - Break Grounding Contact *** For 90° Backshell consult factory

CONTACT LEGEND






Glenair Series ITS and ITS-RG MIL-DTL-5015 Type Reverse Bayonet Connectors Contact Arrangements Front View of Pin Insert


A

5 CONTACTS




Arrangement	20-14	22-12	22-34
Contact Size	2/8, 3/12	2/8, 3/16	3/12, 2/16
Service Rating	A	D	D

5 CONTACTS




Arrangement	24-12	24-G5	32-A5GM
Contact Size	2/4, 3/12	8	4
Service Rating	A	A	A

5 CONTACTS



Arrangement 32-1	32-1	32-2	32-79
Contact Size	2/0, 3/12	3/4, 2/16	4/4, 1/8
Service Rating	A=E; B,C,D,E=D	E	D

5 CONTACTS



Arrangement	40-A3	40-A5	40-A5 GM	40-A55
Contact Size	1/0M, 2/0, 2/12	3/0, 1/4, 1/12	0	0
Service Rating	A	A	A	A


CONTACT LEGEND



**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**




6 CONTACTS




Arrangement	14S-6	18-06	18-12
Contact Size	16S	4/12, 2/16	16
Service Rating	I	A	A

6 CONTACTS




Arrangement	20-8	20-17	20-22
Contact Size	2/8, 4/16	5/12, 1/16	3/8, 3/16
Service Rating	I	A	A

6 CONTACTS



Arrangement	22-5	22-15	24-06
Contact Size	2/12, 4/16	5/12, 1/16	4/8, 2/16
Service Rating	D	D=E; A,B,C,E,F=A	D

6 CONTACTS



Arrangement	28-22	36-3	36-6
Contact Size	3/4, 3/16	3/0, 3/12	2/0, 4/4
Service Rating	D	D	A


**CONTACT
LEGEND**






Glenair Series ITS and ITS-RG MIL-DTL-5015 Type Reverse Bayonet Connectors Contact Arrangements Front View of Pin Insert

6 CONTACTS




Arrangement	36-A51	36-B61	40-A4	40-A6
Contact Size	3/0, 2/4, 1/16	2/4, 4/12	1/0M, 3/0, 2/12	12
Service Rating	D	E	A	B

7 CONTACTS




Arrangement	14S-07	16S-1	18-9	20-15
Contact Size	16S	16S	2/12, 5/16	12
Service Rating	I	A	I	A

7 CONTACTS



Arrangement	22-28	24-2	24-3	24-07
Contact Size	12	12	2/12, 5/16	12
Service Rating	A	D	A	D

7 CONTACTS



Arrangement	24-10	24-27	28-10
Contact Size	8	16	2/4, 2/8, 3/12
Service Rating	A	E	G=D; Bal=A


CONTACT LEGEND



**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**




7 CONTACTS




Arrangement	28-70	36-77	36-A7
Contact Size	8	4	3/0, 2/4, 2/12
Service Rating	A	D	A

8 CONTACTS




Arrangement	18-8	20-7	20-9	20-A8
Contact Size	1/12, 7/16	16	1/12, 7/16	2/8, 6/16
Service Rating	A	A,B,H, G = D; C,D,E,F=A	H=D; Bal=A	I

8 CONTACTS



Arrangement	20-B8	22-18	22-23	24-6
Contact Size	4/12, 4/16	16	12	12
Service Rating	A	A,B,F,G, H = D; C,D, E=A	H=D; Bal=A	A,G,H=D; Bal=A

8 CONTACTS




Arrangement	24-A8	32-A8	32-15
Contact Size	3/16, 5/8	8	2/0, 6/12
Service Rating	A	A	D

CONTACT LEGEND




Glenair Series ITS and ITS-RG MIL-DTL-5015 Type Reverse Bayonet Connectors Contact Arrangements Front View of Pin Insert

8 CONTACTS




Arrangement	36-A35	40-A8	40-A10
Contact Size	4/16, 4/0	4/0, 4/16	4/4, 4/16
Service Rating	A	E	D

9 CONTACTS




Arrangement	20-16	20-18	20-21
Contact Size	2/12, 7/16	3/12, 6/16	1/12, 8/16
Service Rating	A	A	A

9 CONTACTS



Arrangement	20-A9	22-17	22-20
Contact Size	12	1/12, 8/16	16
Service Rating	J=D; Bal=A	A=D; Bal=A	A

9 CONTACTS



Arrangement	22-27	24-11	28-1
Contact Size	1/8, 8/16	3/8, 6/12	3/8, 6/12
Service Rating	J=D; Bal=A	A	A,J, E=D; Bal=A


CONTACT LEGEND



**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**




9 CONTACTS




Arrangement	28-84	28-09	32-3
Contact Size	8	4/4, 5/16	1/0, 2/4, 2/12, 4/16
Service Rating	A	A	D

9 CONTACTS




Arrangement	32-689	40-A9
Contact Size	3/4, 6/16	6/8, 3/0
Service Rating	A	A

10 CONTACTS



Arrangement	16-A10	18-1	18-19	22-82
Contact Size	18	16	16	8/16, 2/8
Service Rating	I	B,C,F,G= A; Bal=I	A	A

10 CONTACTS




Arrangement	22-A10	28-19	36-A10
Contact Size	16	4/12, 6/16	2/4, 8/8
Service Rating	A	A, B= D; K, M=B; Bal=A	A

CONTACT LEGEND




Glenair Series ITS and ITS-RG MIL-DTL-5015 Type Reverse Bayonet Connectors Contact Arrangements Front View of Pin Insert

11 CONTACTS




Arrangement	20-33	24-20	24-A11	40-67
Contact Size	16	2/12, 9/16	2/8, 9/16	10/4, 1/16
Service Rating	A	D	A	A

12 CONTACTS




Arrangement	24-A12	24-19	28-9
Contact Size	2/4, 10/16	16	6/12, 6/16
Service Rating	A	A	D

12 CONTACTS



Arrangement	28-18	28-51
Contact Size	16	12
Service Rating	A, B=A; G, H, J, K, L=D; M=C Bal=I	D

13 CONTACTS



Arrangement	20-11	20-25 (20-11 x 100°)	20-30 (20-11 x 250°)
Contact Size	16	16	13/16
Service Rating	I	I	I


CONTACT LEGEND



**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**




13 CONTACTS




Arrangement	24-013	32-013
Contact Size	6/12, 7/16	12
Service Rating	A	D

14 CONTACTS




Arrangement	20-27	22-19	24-A14	28-2
Contact Size	16	16	2/4, 12/16	2/12, 12/16
Service Rating	A	A	A	D

14 CONTACTS



Arrangement	28-20	32-9	36-B78
Contact Size	10/12, 4/16	2/4, 12/16	12/8, 2/16
Service Rating	A	D	D

14 CONTACTS




Arrangement	36-D78	40-A14
Contact Size	10/8, 4/16	6/12, 8/4
Service Rating	D	A

CONTACT LEGEND	20	18	16-16S	12	8	4	0	4/0
-----------------------	----	----	--------	----	---	---	---	-----



**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**





15 CONTACTS



Arrangement	28-17
Contact Size	16
Service Rating	M,N,P=D; R=B; Bal=A



A

16 CONTACTS





Arrangement	24-5	24-7	28-79	28-124
Contact Size	16	2/12, 14/16	9/16, 7/8	12/16, 4/8
Service Rating	A	A	A	A

16 CONTACTS



Arrangement	32-68	36-14
Contact Size	4/4, 12/16	5/8, 5/12, 6/16
Service Rating	A	D

17 CONTACTS



Arrangement	20-29	28-59
Contact Size	16	7/12, 10/16
Service Rating	A	A

CONTACT LEGEND




**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**



Technical Data


A

19 CONTACTS




Arrangement	20-A48	22-14	24-67
Contact Size	16	16	12
Service Rating	I	A	A

19 CONTACTS




Arrangement	32-76	40-B19
Contact Size	12	8
Service Rating	A	A

20 CONTACTS



Arrangement	28-16	40-A20
Contact Size	16	2/8, 18/12
Service Rating	A	D

22 CONTACTS




Arrangement	28-11	32-B22	36-22
Contact Size	4/12, 18/16	2/4, 20/16	12
Service Rating	A	A	D

CONTACT LEGEND




**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**

23 CONTACTS




Arrangement	32-6	32-13
Contact Size	2/4, 3/8, 2/12, 16/16	5/12, 18/16
Service Rating	A	D

24 CONTACTS




Arrangement	24-28	40-A24
Contact Size	16	8/8, 16/12
Service Rating	I	D

25 CONTACTS



Arrangement	24-A25	32-A25
Contact Size	16	12
Service Rating	A	A

26 CONTACTS



Arrangement	28-12	28-13 (28-12 x 100°)	40-26
Contact Size	16	16	7/8, 19/12
Service Rating	A	A	A


**CONTACT
LEGEND**



**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**






27 CONTACTS






Arrangement	32-A27
Contact Size	10/12, 17/16
Service Rating	A

28 CONTACTS






Arrangement	24-A28	28-A63	32-A28
Contact Size	16	9/12, 19/16	12
Service Rating	I	I	A

29 CONTACTS



Arrangement	28-A29	40-10	40-B25
Contact Size	2/8, 27/16	4/4, 9/8, 16/16	25/16, 4/0
Service Rating	A	A	A

30 CONTACTS



Arrangement	32-8	32-A30	40-1
Contact Size	6/12, 24/16	10/12, 20/16	6/12, 24/16
Service Rating	A	A	D


CONTACT LEGEND






Glenair Series ITS and ITS-RG MIL-DTL-5015 Type Reverse Bayonet Connectors Contact Arrangements Front View of Pin Insert

31 CONTACTS




Arrangement	28-A31*	32-31	36-9
Contact Size	6/8, 25/20	16	1/4, 2/8, 14/12, 14/16
Service Rating	A	A	A

31 CONTACTS




Arrangement	36-18 (36-9 x 100°)	40-31	40-A51
Contact Size	1/4, 2/8, 14/12, 14/16	12	15/8, 16/16
Service Rating	A	D	A

35 CONTACTS



Arrangement	28-15	28-A35	32-7
Contact Size	16	16	7/12, 28/16
Service Rating	A	A	A, B, H, J=I Bal=A

35 CONTACTS



Arrangement	36-15	40-35
Contact Size	16	12
Service Rating	M=D; Bal=A	D

* Only Crimp Contact Version


CONTACT LEGEND



**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**






36 CONTACTS




Arrangement	36-35
Contact Size	4/8, 32/16
Service Rating	A

37 CONTACTS




Arrangement	22-A37	28-21	40-B37
Contact Size	18	16	12
Service Rating	A	A	A

38 CONTACTS



Arrangement	40-A38
Contact Size	12
Service Rating	A

39 CONTACTS



Arrangement	36-54 = 36-B39
Contact Size	8/8, 31/16
Service Rating	A


CONTACT LEGEND

20	18	16-16S	12	8	4	0	4/0
----	----	--------	----	---	---	---	-----




**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**

40 CONTACTS




Arrangement	32-A40
Contact Size	16
Service Rating	A

42 CONTACTS




Arrangement	32-59
Contact Size	2/8, 40/16
Service Rating	A

44 CONTACTS



Arrangement	36-74
Contact Size	1/8, 43/16
Service Rating	A

47 CONTACTS



Arrangement	36-7	36-8	40-9	40-47
Contact Size	7/12, 40/16	1/12, 46/16	1/8, 22/12, 24/16	1/8, 22/12, 24/16
Service Rating	A	A	A	A


**CONTACT
LEGEND**



**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**




48 CONTACTS




Arrangement	32-A48	36-10
Contact Size	16	16
Service Rating	I	A

51 CONTACTS




Arrangement	40-951
Contact Size	25/12, 26/16
Service Rating	A

54 CONTACTS



Arrangement	32-22	32-88
Contact Size	16	16
Service Rating	A	A

55 CONTACTS



Arrangement	24-A55*	32-A55
Contact Size	20	16
Service Rating	I	A

* Only Crimp Contact Version


**CONTACT
LEGEND**






Glenair Series ITS and ITS-RG MIL-DTL-5015 Type Reverse Bayonet Connectors Contact Arrangements Front View of Pin Insert

56 CONTACTS




Arrangement	36-66
Contact Size	4/12, 52/16
Service Rating	A

60 CONTACTS




Arrangement	40-53	40-62
Contact Size	16	16
Service Rating	A	A

61 CONTACTS




Arrangement	40-63
Contact Size	16
Service Rating	A

62 CONTACTS



Arrangement	40-A62
Contact Size	2/8, 60/16
Service Rating	A

65 CONTACTS



Arrangement	36-A99*	40-A65
Contact Size	15/16, 50/20	16
Service Rating	A	A

* Only Crimp Contact Version


CONTACT LEGEND



**Glenair Series ITS and ITS-RG
MIL-DTL-5015 Type Reverse Bayonet Connectors
Contact Arrangements Front View of Pin Insert**




70 CONTACTS




Arrangement	40-A70
Contact Size	16
Service Rating	A

72 CONTACTS




Arrangement	28-72 *	36-A72
Contact Size	20	4/12, 16/16, 52/18
Service Rating	I	I

85 CONTACTS




Arrangement	40-56	40-A56
Contact Size	16	16
Service Rating	A	A

100 CONTACTS



Arrangement	40-100
Contact Size	18
Service Rating	A

150 CONTACTS



Arrangement	40-150
Contact Size	18
Service Rating	I

* Only Crimp Contact Version

CONTACT LEGEND